



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:

Order date:

Purchase order:

Number required:

☐ Order ☐ Calculation ☐ Built 4 me

Marked for:

Sunrise order no:

● = Standard

☐ = Cost option

./ = Price reduction

☐ = No cost option

Customer service fax number: +497253 980-222

Max. user weight: 125kg // 140 kg (2)

USER WEIGHT

kg

Mandatory information to ensure correct configuration

Art. no.: 65100001

Base Price 3.514 €

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

300	320	340	360	380	400	420	440	460	480	500
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

SEAT DEPTH SELECTION - in mm

320	340	360	380	400	420	440	460	480	500	520
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

FRONT SEAT HEIGHT SELECTION: in dependance of front castor size

		Front Seat Height in mm								
		Fork type	450	460	470	480	490	500	510	520
3"		111 mm	☐	☐	☐					
		123 mm (1)			☐	☐	☐			
4"		111mm	☐	☐	☐	☐	☐			
		123 mm (1)			☐	☐	☐	☐		
		Frog leg (1)				☐	☐	☐	☐	
5"		111mm				☐	☐	☐		
		123 mm (1)				☐	☐	☐	☐	
		Frog leg (1)							☐	☐
6"		123 mm (1)						☐	☐	☐

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

The rear seat height can only be between 0 mm and 130 mm below the selected front seat height.

Cau Caution: with rear seat heights 460 mm and above, the width between the sideguards increases by 30 mm

		Rear seat height in mm																
Rear Wheels		340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500
22"		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐				
24"			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
25"				☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
26"					☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

(1) compatible with power add on devices

(2) 136kg in combination with AGN090100 "Crash Test Option"




Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) *For the user:* Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) *On the wheelchair:* From outside frame tube to outside frame tube.



Seat depth (SD):

- a) *For the user:* When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) *On the wheelchair:* From back tube to front of seat upholstery.

Front seat height:

- a) *For the user:* When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) *On the wheelchair:* From front of seat tube to the ground . (min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:


- b) *On the wheelchair:* From back of seat tube to the ground.
- Note:** Max. seat height difference rear to front is 130 mm

Back height:

- a) *For the user:* From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) *On the wheelchair:* From back of seat tube to upper edge of backrest upholstery.
- Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.



Technical Data Overview:

Overall dimensions:

Max overall height: 900 mm
Max overall length: 910 mm

Overall width with:

For 0° camber: SW + 200 mm
For 3° camber: SW + 220 mm
For 6° camber: SW + 280 mm
For 9° camber: SW + 340 mm

24" rear wheel

SW + 200 mm
SW + 220 mm
SW + 280 mm
SW + 340 mm

25" rear wheel

SW + 200 mm
SW + 260 mm
SW + 320 mm
SW + 380 mm

Please note that the matrix is based on a std configuration:

Std chair 400 x 400 mm; 3° camber; 56 mm CoG; Seat angle of 8°

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

SEAT UPHOLSTERY AND CUSHIONS

Seat Slings:

AGN020002	●	Seat sling with 1 utility bag		-
AGN020003	□	Seat sling with 2 utility bag	(only from SW 340 mm)	53 €
AGN020004	□	Seat sling with utility bag and catheter bag	(only from SW 340 mm)	53 €
AGN020000	○	Without seat sling		-

Seat cushion black cover:

Foam composite: (medium soft)	Thickness:	AGN020101	□ 30 mm	AGN020102	□ 50 mm	110 €
Latex: (very soft)	Thickness:	AGN020103	□ 50 mm			110 €

JAY Cushions - for complete product range see Jay order forms:

JAY020002	□	Jay Basic	155 €
JAY020003	□	Jay Soft Combi P	227 €
JAY020001	□	Jay Easy Visco	333 €
JAY020007	□	JAY Easy Fluid	573 €
JAY020004	□	JAY Lite	525 €

Seat accessories

AGN090018	□	Positioning belt	83 €
-----------	---	------------------	------

BACKREST

Back height range

Choose back height factory setting (mm).

Height adjustments possible in the range 250-300 mm; 300-400 mm; 400-450 mm.

250 - 300	300 - 400		400 - 450
○ 250	○ 300	○ 375	○ 400
○ 275	○ 325	○ 400	○ 425
○ 300	○ 350		○ 450

AGN030015	●	Angle adj. Back (fold down)	(-31° to +15°)	(only in black anodizing)	Std
AGN030102	□	Double locking			70 €
AGN030012	○	Angle adj. Back (fixed)	(-31° to +15°)	(only in black anodizing)	-

Pushhandles: Choose only one option

AGN030200	○	Omit push handles		-
AGN030201	○	Integral push handles long		-
AGN030203	□	Fold-down push handles	(only available from back height 325 mm)	186 €
AGN030204	□	Height adj push handles	(only available from back height 325 mm)	295 €
AGN030205	□	Height adj push handles for Jay backs	(only available from back height 325 mm)	295 €

Backrest upholstery adjustable

AGN030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	Std
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	-
AGN030317	□	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version)	170 €
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	-
AGN030300	○	Without backrest upholstery	-



AGN020002
Seat sling with 1 utility bag



AGN090018
Positioning Belt



JAY020002
Jay Basic
(picture shown without upholstery)



JAY020003
Jay Soft Combi P
(picture shown without upholstery)



JAY020001
Jay Easy Visco
(picture shown without upholstery)



JAY020004
Jay Lite
(picture shown without upholstery)



AGN030201
Integral push handles
long



AGN030203
Fold down push
handles



AGN030205
Height adjustable
push handles for Jay



AGN030316
EXO backrest sling (new EXO
Evo version)



AGN030317
EXO PRO backrest sling
(new EXO Evo version)

Quickie Argon²

● = Standard

○ = No cost option

□ = Cost option

Price in €

JAY BACKS plus ACCESSORIES - for complete product range see Jay order forms**Jay 3 Back - Shallow Contour (SC)**

Day 3: Back - Unknown Content (25)						
Mid Thoracic:	☐	JAY030010	Medium 340 mm	☐	JAY030033 Tall 380 mm 846 €	
Upper Thoracic:	☐	JAY030012 Short 420 mm	☐	JAY030019 Medium 460 mm	☐	JAY030025 Tall 500 mm 939 €
Shoulder Height:	☐	JAY030015 Short 530 mm	☐	JAY030022 Medium 570 mm	☐	JAY030028 Tall 610 mm 1.006 €

Jay 3 Back - Mid Contour (MC)

Mid Thoracic:	☐ JAY030011	Medium 340 mm	☐ JAY030018	Tall 380 mm	926 €		
Upper Thoracic:	☐ JAY030013	Short 420 mm	☐ JAY030020	Medium 460 mm	☐ JAY030026	Tall 500 mm	1.033 €
Shoulder Height:	☐ JAY030016	Short 530 mm	☐ JAY030023	Medium 570 mm	☐ JAY030029	Tall 610 mm	1.087 €

JAY J3 Back - Mid Deep Contour (MDC) (150 mm Contour Depth)

Mid Thoracic:	☐ JAY030044	Medium - 340 mm	☐ JAY030041	Tall - 380 mm	1.062 €	
Upper Thoracic:	☐ JAY030045	Short - 420 mm ☐ JAY030042	Medium - 460 mm	☐ JAY030046	Tall - 500 mm	1.062 €
Shoulder Height:	☐ JAY030043	Short - 530 mm ☐ JAY030047	Medium - 570 mm	☐ JAY030048	Tall - 610 mm	1.087 €

Jay 3 Back Accessories

WHT030415	☐ Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY J3 backs)	538 €
WHT030416	☐ Whitmyer Headrest, AXYS, Standard	(only with JAY J3 backs)	322 €
JAY090058	☐ JAY Accessory bag	(only with Jay 3 Carbon backs)	87 €

SIDEGUARDS & ARMRESTS

SIDE GUARDS & ARMRESTS			
AGN040102	☐	Aluminium sideguard without fender	227 €
AGN040101	☐	Carbon Slim style sideguard (1)	147 €
AGN040103	☐	Aluminium sideguard with fender (min seat height 390 mm)	276 €
AGN040104	☐	Carbon sideguards with fender (min seat height 390 mm, not in combination with handbike axle)	287 €
AGN040107	☐	Composite sidegaurd detachable	-
AGN040108	☐	Padded tubular armrest (not in combination with handbike axle)	240 €
Single post armrest with:			-
AGN040050	☐	short armpad (250 mm)	252 €
AGN040051	☐	long armpad (360 mm)	252 €
AGN040052	☐	Tool height adj. armrest (short & long armpad - length adj.)	252 €
AGN040000	☐	w/o Sideguard	-

LEGREST & FOOTPLATES

AGN050029	● Tubular footrest lightweight (lower leg length 360 mm - 500 mm)	Std
AGN050030	☐ Tubular footrest lightweight with flat cover (lower leg length 360 mm - 500 mm)	76 €
AGN050025	☐ Platform footrest LW composite plate (lower leg length 360 mm - 500 mm)	116 €
AGN050024	☐ Platform footrest LW alu plate (lower leg length 360 mm - 500 mm)	116 €
AGN050026	☐ Platform footrest LW carbon plate (lower leg length 360 mm - 500 mm)	251 €
AGN050034	☐ Platform footrest LW high mount (LLL 220 - 390 mm)	195 €
AGN050125	☐ Performance footrest alu angle adj. (lower leg length 360 mm - 500 mm)	240 €
AGN050127	☐ Foot positioning plate (only with platform footplates lightweight & performance footplate)	68 €
AGN050020	☐ Composite footplate divided (2) (SW 380-500 mm; LLL 380 - 500 mm)	164 €
AGN050022	☐ Alu footplate divided (2) (SW 340 - 5000 mm; LLL 380 mm - 500 mm)	254 €

Lower leg length (LLL) Attention: LLL has to be 30 mm less than seat height front; all measurements are in mm

☐ 220	☐ 230	☐ 240	☐ 250	☐ 260	☐ 270	☐ 280	☐ 290
☐ 300	☐ 310	☐ 320	☐ 330	☐ 340	☐ 350	☐ 360	☐ 370
☐ 380	☐ 390	☐ 400	☐ 410	☐ 420	☐ 430	☐ 440	☐ 450
☐ 460	☐ 470	☐ 480	☐ 490	☐ 500			

LLL 220 - 350 mm only with high mounted footrest; for all other footrests from LLL 360 - 500 mm.

FRAME VERSIONS (first choose frame angle then frame inset)

AGN010601	● User Weight max.125kg	Std
AGN010602	☐ User Weight max.140kg	131 €
AGN010013	☐ Fixed frame 92 Degree	153 €
AGN010012	● Fixed frame 100 Degree	Std
AGN010100	● Frame inset: 0mm	Std
AGN010103	☐ Frame inset: 30mm	153 €
AGN090015	☐ Preparation for add on devices (4) (max. 120 kg; only 0° camber)	314 €
AGN010500	☐ Handbike axle (3) (max 100 kg; not in combination with amputee axle and padded tubular armrest)	344 €
AGN070500	☐ Amputee axle (not in combination with handbike axle and padded tubular armrest)	206 €

(1) With 24" rear wheel min. rear seat height 410 mm; with 25" rear wheel min. rear seat height 430 mm

(2) With 30 mm inset divided footplates are available from SW 420 composite and SW 380 alu footplate

(3) Not with tip assist

(4) Necessary for e-fix or P105 attachment

For more information
visit our webpagewww.SunriseMedical.eu

© Sunrise Medical 2024

Jay 3 Back Shallow Contour Jay 3 Back Mid Contour Jay 3 Back Deep Contour Jay 3 Back Posterior Deep Contour



AGN040102
Aluminum sideguard w/o
fender



AGN040101
Slim style sideguard



AGN040103
Aluminum sideguard
with fender



AGN040104
Carbon sideguard with
fender



AGN040107
Composite sideguard
detachable



AGN040108
Padded tubular
armrest



AGN040051
Single post armrest
with long armpad



AGN040052
Tool height adj. armrest



AGN050029
Tubular footrest
lightweight



AGN050030
Tubular footrest lightweight
with flat cover



AGN050025
Platform footrest LW
composite plate



AGN050026
Platform footrest LW
carbon plate



AGN050125
Performance footrest
alu angle adj



AGN050127
Foot positioning plate





AGN050020
Composite footplate
divided



AGN050022
Alu footplate divided


Frame inset table (Graphs below are showing an example for SW 340)

		Seat Width (mm)										
Inset		300	320	340	360	380	400	420	440	460	480	500
0 mm	Frame Width Inside	240	260	280	300	320	340	360	380	400	420	440
	Frame Width Casterhouse	410	430	450	470	490	510	530	550	570	590	610
30 mm	Frame Width Inside	NA	NA	220	240	260	280	300	320	340	360	380
	Frame Width Casterhouse	NA	NA	400	420	440	460	480	500	520	540	560



Quickie Argon²

● = Standard ○ = No cost option □ = Cost option Price in €

CENTRE OF GRAVITY (COG) (all measurements are in mm; measured from front of back post; choose only one option)		
COG32	☐ 32 mm	
COG44	☐ 44 mm	
COG56	☐ 56 mm	
COG68	☐ 68 mm	
COG80	☐ 80 mm	
COG92	☐ 92 mm	
COG104	☐ 104 mm	

FRAME ACCESSORIES (choose either tip assist or anti-tip tubes, not both)		
Tip assist (step tube)		-
AGN090001 ☐ Left AGN090002 ☐ Right		68 €
AGN090003 ☐ Pair		137 €
AGN090009 ☐ Crutch holder (only in combination with tip assist)		39 €
Anti-tip tubes swing-away		-
AGN090004 ☐ Left AGN090005 ☐ Right		159 €
AGN090006 ☐ Pair		317 €
Anti-tip tubes pluggable		-
AGN090007 ☐ Anti-tip tubes pluggable (Pair)		155 €
Anti tip flip up (user operated)		-
AGN090033 ☐ Left AGN090008 ☐ Right		206 €
AGN090035 ☐ Sport anti-tip		383 €
AGN090010 ☐ Transit wheels (3")		272 €
AGN090016 ☐ Frame protection		70 €

Preparation for ATTITUDE add-on bike		
AGN090211 ☐ Preparation for ATTITUDE, w/o ATTITUDE order (2) (docking pins assembled)		110 €
AGN090212 ☐ Preparation for ATTITUDE, with ATTITUDE order (2) (docking pins assembled; ATTITUDE order seperately)		-

EMPULSE F55 BUNDLING*soon		
EMO000101 ☐ With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55. Not with suspension, not with Lightweight Compact brake)		
EMO000102 ☐ With F55 order, mounted to the wheelchair (Please use separate OF to order the F55. Not with suspension, not with Lightweight Compact brake)		

FORKS (compare with your choice on the first page)		
AGN080013 ● Carbotecture fork (111mm forks only) (colours: see Stylepackage on last page)		Std
AGN080029 ● Aluminium fork (123 mm forks only) (3) (colours: see Stylepackage on last page)		Std
AGN080007 ☐ FROG LEG fork (not in combination with 3", 6" & all ALU castors; only black, max user weight 125 kg)		617 €

STANDARD CASTOR (compare with your choice on the first page)		
AGN080301 ☐ Solid		-
AGN080302 ☐ Soft (only for 5" & 6")		-
AGN080303 ☐ Solid light up (not available for 6")		72 €
AGN080304 ☐ Solid with aluminium rim (only for 4" and 5")		98 €
AGN080306 ☐ Soft with aluminium rim (only for 4" and 5")		148 €

REAR WHEELS (compare with your choice on the first page; choose only one wheel type)		
NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels		
AGN070001 ☐ Universal Cross spoked (22", 24", 26")		-
AGN070002 ☐ Design wheel (24", 26")		-
AGN070003 ☐ Light weight wheel (22", 24", 25"; max user weight: 125 kg)		-
AGN070004 ☐ Proton Wheels (22", 24", 25"; max user weight: 100 kg)		376 €
AGN070005 ☐ Spinergy wheels 18 spokes (1) (24", 25", 26"; black spokes; other colours availalble via B4M)		678 €
AGN070007 ☐ Spinergy wheels 12 spokes (24", 25"; black spokes, black hub)		951 €
AGN070009 ☐ Mountainbike Rear wheel (only with 24", mountain bike tyres & aluminium rim, black coated)		344 €
AGN070010 ☐ Additional Mountain Bike wheels (only with 24"; comes always with mountainbike tyres.)		522 €
AGN070000 ☐ Without wheels		-

TYRES (choose only one tyre type)		
AGN070101 ☐ Right Run (not in 25")		-
AGN070107 ☐ Schwalbe One (only 24" and 25")		56 €
AGN070102 ☐ Solid tyres (2) (not with 26")		-
AGN070104 ☐ Marathon plus evolution (puncture proof) (not in 22")		54 €
AGN090163 ☐ Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid tyres)		67 €

(1): Proton and Light Weight wheel only with 22", 24" & 25"solid tyre ; Spinergy wheels only with 24" solid tyre Not with Mountainbike wheel	For more information visit our webpage www.SunriseMedical.eu © Sunrise Medical 2024 Page 4/6
(2): Max front frame width 46 mm, max 100kg user weight	
(3): compatible with power add on devices	



AGN090001
Tip assist left



AGN090004
Anti-tip tubes SA



AGN090007
Anti tip tubes pluggable



AGN090035
Sport anti-tip



AGN090008
Anti tip flip up
User operated



AGN090010
Transit wheels



AGN090016
Frame protection



AGN080013
Carbotecture fork



AGN080007
FROG LEG fork



AGN070001
Universal Cross spoked



AGN070002
Design Wheel



AGN070003
Light weight wheel



AGN070004
Proton Wheel



AGN070004
Spinergy Wheel



AGN070101
Right Run



AGN070107
Schwalbe One



AGN070102
Solid Tyres



AGN070104
Marathon Plus
(puncture proof)



AGN070009
Mountain bike rear
wheel

Quickie Argon²

● = Standard ○ = No cost option □ = Cost option Price in €

HANDRIM			
AGN070201	○	Aluminium silver powder coated	(not with 26" Spinergy wheels) -
AGN070202	○	Aluminium silver anodized	-
AGN070203	□	Aluminium colour powder coated	68 €
AGN070204	○	Stainless steel	-
AGN070205	□	Titanium	(not with 22" wheels) 248 €
AGN070206	□	Titanium clear powdercoated	(not with 22" wheels) 248 €
AGN070207	□	Supergrip	351 €
AGN070208	□	Max Grepp	(only 22", 24" wheels) 463 €
AGN070212	□	Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip; only 24" and 25") 368 €
AGN070250	□	Handrim cover	(only 22" & 24" wheels) 133 €
Handrim mounting	AGN070317	● Close = 17mm	(12,5 mm with lightweight & Proton wheels) Std
	AGN070327	○ Wide = 27mm	(not with lightweight & spinergy wheel and alu handrim) -
	AGN070307	□ Extra close = 7mm	(only with stainless steel) 126 €

WHEEL CAMBER			
(choose only one option)			
AGN070600	●	0°	Std
AGN070603	○	3°	-
AGN070606	○	6°	-
AGN070609	○	9°	(not with handbike axle) -

SPOKE GUARDS (only available in 22" & 24")			
AGN070831	□	Transparent	192 €
AGN070813 □ Galactica			255 €
AGN070823	□	Princess	AGN070818 □ Jungle Fever 255 €
AGN070816	□	Happy Lions	255 €
AGN070819	□	Monkeys	AGN070821 □ Pirates AGN070811 □ Feather 255 €
AGN070820	□	Oriental	255 €
AGN070829	□	Superhero	AGN070814 □ Graffiti AGN070806 □ Chrome wheel 255 €
AGN070817	□	Hot wheels	AGN070802 □ Basketball AGN070803 □ Basketball 2 255 €
AGN070822	□	Pool	AGN070812 □ Flying water AGN070828 □ Space 255 €
AGN070827	□	Silk	255 €
AGN070830	□	Tiger	AGN070833 □ Zebra 255 €

WHEEL LOCKS (Choose only one option)			
AGN060001	●	Standard wheel lock	Std
AGN060002	□	Knee lever wheel lock	64 €
AGN060003	□	Compact wheel lock EVO	(only with 0°/3° camber) 70 €
AGN060010	□	Wheel lock extension knee lever brake lock	(only on knee lever wheel lock) 30 €
AGN060006	□	One arm wheel lock left	(only with 0°/3° camber) 206 €
AGN060007	□	One arm wheel lock right	(only with 0°/3° camber) 206 €

ACCESSORIES			
AGN090000	●	Tool kit	Std
AGN090024	□	High pressure pump	87 €
AGN090025	□	Air pump	16 €
AGN090030	□	Back pack	82 €
AGN090100	□	Crash Test Option (2)	89 €
AGN090026	□	Mobile phone pocket	26 €



AGN070208
Max Grepp



AGN070207
Supergrip



AGN070212
Ellipse 3R



AGN060001
Standard Wheel lock



AGN060003
Compact wheel lock



AGN060002
Knee lever wheel lock



AGN060007
One arm wheel lock
right



AGN090000
Tool kit



AGN090024
High pressure pump



AGN090025
Air pump



AGN090030
Back pack



AGN090026
Mobile phone pocket

Quickie Argon²

● = Standard ○ = No cost option □ = Cost option

COLOURS

Please consult our colour catalogue, to review your colour choice at the end of the order form

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
	93 €	68 €	186 €		93 €	68 €	186 €
02 Brilliant Silver	○	□	□	27 Graphitemetallic	○	□	□
03 Silver Matt	□	□	□	29 Black	○	□	□
06 Sun Yellow	○	□	□	31 Matt Black	○	□	□
14 Blue	○	□	□	32 Signal White	○	□	□
15 Brilliant Marine	○	□	□	33 Pink	○	□	□
16 Matt Marine	□	□	□	34 Dark Chocolate Meta	□	□	□
19 Brilliant Purple	○	□	□	35 Skyblue	□	□	□
21 Red Ruby	○	□	□	36 Cyan-Metallic	□	□	□
22 Brilliant Red	□	□	□	37 Marsred (Orange)	□	□	□
23 Matt Red	□	□	□	40 Kiwi	□	□	□
24 Tutti Frutti Orange	○	□	□	41 Flamingo-Glitter	□	□	□
				42 Matt-Anthracite	○	□	□
				46 Mamba Green (new)	□	□	□

Style Package (Colours for Carbotecture Forks)

AGN100502	● Black	Std
AGN100503	□ Silver	50 €
AGN100501	□ Orange	50 €

(1) only with universal cross spoked rear wheels

Comments for special build:

Examples of available build 4 me options

- Abduction frame (2389)
- One arm drive (2437)
- Headrest (2398)
- SW 520 mm (2365)
- Drumbrake (2381)
- Footplate flip back (2949)
- Low front seat height (420 - 430 mm with 3" castor)



Argon² - Base Price

Option price

Packaging and transport

Exclusive VAT

VAT.

Total Price

Sunrise Medical Customer service

Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg

Tel. +497253 980-0

Fax. +497253 980-222

E-mail: export@sunrisemedical.de

Website: www.sunrisemedical.eu



www.SunriseMedical.eu

© Sunrise Medical 2024 Page 6/6