





KRYPTON F

Edition: 11.23 Valid until: 11.24

Deliver to:	
Name:	
Street:	
Town:	Postal code:

E-Mail: Tel: Fax:

Order date:
Purchase order:
Number required:

□ Order □ Calculation □ Built 4 me (longer leadtime)

Art. no.: 77 100 001

 ϵ

Deliver to: Name: Street:

Town: Postal code:

E-Mail:

Tel: Fax:

Marked for:

Sunrise order no:

● = Standard □ = Cost option

/. = Price reduction ○ = No cost option

Max. user weight: 110 kg
USER WEIGHT kg

Mandatory information to ensure correct configuration

Base Price 5.733 €

KRYPTON F: STANDARD CONFIGURATION

KRYPTON F

- · Folding wheelchair
- · Carbon fibre frame
- · Carbon fibre crossbrace
- · Adjustable backrest angle
- · Adjustable COG
- · Rear seat height adjustable





Krypton F

• = Standard

O = No cost option

☐ = Cost option

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - in mm; measured from outside frame tube to outside frame tube

320	340	360	380	400	420	440	460
0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - in mm

ı	340	360	380	400	420	440	460	480
	0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION - in dependance of front castors, forks and frame versions The high frame is 40 mm higher than the low frame.

Front seat height in mm

		Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550
		111 mm		0	0	0										
		123 mm	low			0	0	0								
		Frog Leg	low													
	3"	One Arm														
	3	111 mm						0	0	0						
		123 mm	high							0	0	0				
		Frog Leg	iligii													
		One Arm														
		111 mm			0	0	0	0								
		123 mm	low													
eľ	4"	Frog Leg	IOW													
Front Caster		One Arm														
Ç		111 mm							0	0	0	0				
io.		123 mm	high													
正		Frog Leg	ılığı													
		One Arm														
		111 mm					0	0	0							
		123 mm	low													
		Frog Leg	IOW													
		One Arm														
	5"	111 mm									0	0	0			
		123 mm	high													
		Frog Leg	ılığı													
		One Arm														
	6"	123 mm	high													

REAR SEAT HEIGHT SELECTION - in dependance of rear wheel size

The rear seat height can only be between 0 cm and 110 mm below the selected front seat height.

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾

(1): Only with lightweight COG adapter (KRF070701)

For more information www.SunriseMedical.eu
© Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's adility to sit upright has a major influence on the back height

and it can therefore differ considerably


Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the seat. Negative angles are < 90°

and positive angles are >90°.

Low Seat Frame vs. High Seat Frame:

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimize the weight of your wheelchair.



Technical Data Overview:

Max. overall height: 950 mm Max. overall width: 24" rear wheel 25" rear wheel Max. overall length: 930 mm For 0° camber: SW + 170 mm SW + 170 mm Max. turning circle: 700 mm For 2°camber: SW + 210 mm SW + 220 mm Max. safe slope: For 4° camber: SW + 260 mm SW + 270 mm

Wheelchair weight: from 8,3 kg
Dismantled weight: from 5,8 kg
Weight of heaviest part: 2,1 kg

All changes in the configuration might change the seat heights.

Manufacturing tolerances are +/- 10 mm for all measurements.

© Sunrise Medical 2024

WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton F: how to achieve a 8,3 kg folding-wheelchair, and how to order the lightest possible configuration for your Krypton F

Krypton F: 8,3 kg configuration (Transport weight: 5,8 kg)

Frame: high frame, 92°, 10mm inset, seat width: 360 mm, seat depth: 400mm. Seat height: front 470 mm, rear 420 mm. Axle-stems cut-to-length (KRF010412), COG Adapter lightweight (KRF070701)

Wheel-lock: lightweight compact wheel-lock

Footrest: Footboard, platform,



Backrest: Carbon backrest, EXO superlight, without pushhandles

Sideguards: Carbon fibre, slimstyle

Rear wheels: 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One

Forks and casters: 111 mm carbotecture fork, 3" caster

performance

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, caster-wheels etc.)

LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON F

Sunrise Medical offers a wide variety of options for the Krypton F to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- indicates the lightest possible option within the range of options (L)
- (+) indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

LIGHTWEIGHT OPTIONS FOR THE KRYPTON F

We developed several options for the Krypton F to save weight on the chair without sacrifing daily-use suitability, comfort or durability



Carbon fibre backrest: carbon backrest tubes. Fixed height. (-160 g compared to aluminium backrest)



Axle-stems cut-to-length (KRF010412): specifically cut to your seat-height. Upwards adjustment limited (only +1 cm) (-200 g for rear seat height 430 mm compared to full-length axle-stem)



EXO superlight (KRF030005): lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes (-160 g compared to Std. EXO backrest-upholstery)



CoG Adapter, lightweight (KRF070701): (only 0° camber) (-260 g compared to CoG Adapter Standard)

Kryptor	•	= Standard O = No cost option □ = Cost option	Price in €
	Ť	SEAT UPHOLSTERIES AND CUSHIONS	Trice iii e
Seat sling		CEAT OF HOLOTERIES AND COOMICIO	
KRF020002	•	Seat sling, nylon, tension adjustable, 1 utility bag	Std
KRF020003		Seat sling, nylon, tension adjustable, 2 utility bags (from SW 340 mm)	53 €
KRF020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (from SW 340 mm)	53 €
KRF020000	0	Without seat sling	-
Seat cushion	n, cov	ver with zipper, black	
Foam (mediu	ım-so	ft) Thickness: KRF020101 30 mm KRF020102 50 mm	110€
Latex (very s	oft)	Thickness: KRF020103 □ 50 mm	110€
Seat access	ories		
KRF090018		Lap belt with buckle, metal (only with Aluminium backrest)	83 €
KRF020050		Additional padding for seat upholstery, removable	36 €
			00 0
JAY020002		or complete product range see Jay order forms JAY Basic	155 €
JAY020003		JAY Soft Combi P	227 €
JAY020001		JAY Easy Visco, Curved Base	333€
JAY020004		JAY Lite	525€
JAY020007		JAY Easy Fluid, Curved Base	573€
		BACKREST	
		minium backrest 250 - 300 300 - 350 350 - 400 400 - 450 450 - 475	
	_	nt factory setting (mm).	_
Height adjust	ment	s of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475	
		O 300 O 350 O 400 O 450	
KDE030007	Car	bon fibre backrest (1) (L) □ 250 □ 275 □ 300 □ 325	
		neight adjustable	327 €
rixed neight,	110111	leight adjustable	
KRF030012	•	Backrest, angle-adjustable (75° to 103°)	Std
KRF030031		Backrest, fold-down (to the front) (2) (+) (from back height 325 mm, fixed back height, not adjustable)	344 €
Pushhandle	s		
KRF030200	0	Omit push handles (L)	-
KRF030201	0	Push handles long	-
KRF030203		Push handles, fold-down (from back height 325 mm)	186 €
KRF030205		Push handles, height-adj. for Jay backs (+) (from back height 325 mm, only with aluminium backrest)	295€
KRF030204		Push handles, height-adjustable (+) (from back height 325 mm, only with aluminium backrest)	295 €
Backrest up	holst	ery	
KRF030316	0	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	-
		Colour, binding tape: ■ Black O Orange O Silver O Red O Blue	-
KRF030317		EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version)	170 €
		Colour, binding tape: ■ Black O Orange O Silver O Red O Blue	
KRF030005		EXO superlight, padded, adjustable, black (EXO Evo version) (L)	170 €
		Colour, binding tape: ● Black O Orange O Silver O Red O Blue	-
KRF030300	0	Without backrest upholstery	-
Accessories	for h	ackrest	
KRF030402		Stabilising bar, automatic folding (+) (only available from SW 380mm; not with carbon fibre backrest)	164 €
1111 000702		Graphing bar, automatic roluting (T) (only available from GW Southin, not with carbon libre backless)	104 €

BACKREST

Folding-Matrix for KRF030031 Backrest, fold-down to the front.

Back height

Seat width



	32,5	35	37,5	40	42,5	45	47,5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38	х	✓	✓	✓	✓	✓	✓
40	х	X	✓	✓	✓	✓	✓
42	х	X	X	✓	✓	✓	✓
44	х	X	X	✓	✓	✓	✓
46	х	X	X	Х	✓	✓	✓
48	х	Х	Х	Х	Х	✓	✓
50	x	Х	X	Х	Х	X	✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=can't be folded more than 45°



KRF030201 Push handles long



KRF030316 EXO backrest sling (EXO Evo



KRF030203 Push handles, fold-down



KRF030317 EXO PRO backrest sling (EXO Evo version)



KRF030204 Push handles , height-adjustable



KRF030005 EXO superlight backrest sling (EXO Evo version)

FOOTBOARDS



KRF050132 Footboard platform, lightweight, carbon



KRF050059 Footboard platform, performance



KRF050027 Footboard platform, lightweight, carbon fibre, auto folding



KRF050127 Adjustable side protection

Kryptor	F		
	•	= Standard O = No cost option \square = Cost option	Price in €
		JAY 3 BACKS AND ACCESSORIES - only with Aluminium Backrest (+)	
Jay 3 Back -	Sha	low Contour (SC)	
Mid Thoracic:		☐ JAY030010 Medium - 340 mm ☐ JAY030033 Tall - 380 mr	
Upper Thorac		☐ JAY030012 Short - 420 mm ☐ JAY030019 Medium - 460 mm ☐ JAY030025 Tall - 500 mr	
Shoulder Hei	ght:	☐ JAY030015 Short - 530 mm ☐ JAY030022 Medium - 570 mm ☐ JAY030028 Tall - 610 mr	n 1.006€
Jay 3 Back -	Mid	Contour (MC)	
Mid Thoracic:		□ JAY030011 Medium - 340 mm □ JAY030018 Tall - 380 mr	n 926€
Upper Thorac		☐ JAY030013 Short - 420 mm ☐ JAY030020 Medium - 460 mm ☐ JAY030026 Tall - 500 mr	
Shoulder Hei	ght:	☐ JAY030016 Short - 530 mm ☐ JAY030023 Medium - 570 mm ☐ JAY030029 Tall - 610 mr	m 1.087 €
Jay 3 Carboi	Ba	ck - Shallow Contour (SC)	
Lower Thorac	ic:	☐ JAY060001 Short - 170 mm ☐ JAY060002 Tall - 240 mr	m 1.316 €
Mid Thoratic:		□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	m 1.316 €
Accessories	for .	JAY J3 backs	
WHT030415		☐ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 b.	acks) 538 €
WHT030416		□ Whitmyer Headrest, AXYS, Standard (only with JAY J3 b.	acks) 322 €
JAY090058		☐ JAY Accessory bag (only with Jay 3 Carbon b.	acks) 87 €
		ARMRESTS AND SIDEGUARDS	
Armrests		01.1	() 055.5
KRF040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable	(+) 252 €
KRF040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable (not with carbon backres	st) (+) 240 €
Sideguards			
KRF040107		Sideguard, composite, removable, 21 cm high (31 cm long), black	-
KRF040101		g,,,,	(L) -
KRF040102		Sideguard, aluminium, cold weather protection (colour: black, matt)	227 €
KRF040103		Sideguard, aluminium, fender, cold weather protection (colour: black, matt)	276 €
KRF040104		Sideguard, carbon fibre, fender, cold weather protection, black	287 €
		FOOTBOARDS	
KRF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (1)	(L) 116 €
KRF050131	_	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	-
KRF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	317 €
KRF050027		Footboard, auto-folding Footboard, alternal lightweight, corbon fibro, outo-folding, angle 9 donth adi, colf strap, block (4)	530 €
KRF050028		Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (1) Footboard, platform, lightweight, plastic, auto-folding, angle & depth-adjustable, calf strap, black (1)	395 €
74.47.00002.0			000 C
1/05050105	_	Accessories for footboards	
KRF050127		Adjustable side protection, to create a side-stop on the footboard (2)	68 €
		LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all m	easurements in mm
	_	· ·	easurements in min
	0	4 360 0 370 0 380 0 390 0 400 0 410 0 420 0 430	
	O	440 O 450 O 460 O 470 O 480 O 490 O 500	
		FRAME VERSIONS	
VDE040040	_	Frame angle	Ot-1
KRF010012	•	Frame FF 100 ° (integrated footrest) (UK 80 °) Inset slight (10 mm)	Std 450.6
KRF010013		Frame FF 92 ° (integrated footrest), performance (UK 88 °) Inset slight (10 mm)	153 €
		Castor position (see explanation on next page)	
KRF010301	•	Castor house position wide	Std
KRF010302	0	Castor house position narrow (not with seat-depths< 400mm, please see recommendations on next pa	age) -
(1):	Not	with SW 320 mm	For more information
(2):	-	for footboard, platform lightweight or Performance	www.SunriseMedical.eu
Ī	(L)=	lightest option (+)= adds 500g or more to the wheelchair-weight	© Sunrise Medical 2024

SIDEGUARD & ARMREST



KRF040101 Slim style sideguard



KRF040104 Carbon fibre, cold weather protection, fender



KRF040107 Sideguard, composite, removable (black)




KRF040117 Tubular armrest, swing away, removable, padded



KRF040052 Single-post sideguard, armpad (33 cm)


FRAME VERSIONS: CASTOR HOUSE POSITIONS





Further to the front and wider position of the casters for optimized rolling resistance and improved front-stability

Position narrow:



22 mm further rearwards and 24 mm per side more narrow position of the casters for a more narrow front-end and improved manoeuverability in tight spaces. Reduced front-stability compared to position wide, we recommend this option in combination with seat- height differences (front to rear) of 40mm or



KRF010301 Castor house position wide



KRF010302 Castor house position narrow



Castor house position wide vs. narrow

Krypton	F		
''	•	= Standard O = No cost option □ = Cost option	Price in €
		CENTRE OF GRAVITY (COG) ADAPTER (4= very passive 13= very ac	ctive)
KRF070703	Ada	pter, standard	
		0 2 0 3 0 4 0 5 0 6 0 7 0 8 0 9 0	10
KRF070701	۸۵۵	pter, lightweight (1) (L) O 5 O 6 O 7 O 9 O 10 O 11	
KKI 070701	Aua	prei, lightweight (1)(L) 0 3 0 0 0 7 0 9 0 10 0 11	
KRF010411	•	Axle plate, aluminium, long (full adjustment), colour: black, matt	Std
KRF010412		Axle plate, aluminium, shorted (max. adjustment 1 cm), colour: black, matt (L)	303 €
		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes per	: aida)
KRF090010		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes per Transit wheels (+)	272 €
KRF090016		Frame protection, black (textile, with ve	
KRF090577		Frame protection, Plastic, glued to the frame, black	163 €
KRF090050		Anti-tip tubes, plug-in, pair (+)	155 €
		Anti-tip tubes, swing-away	
KRF090004		Left KRF090005 □ Right (+)	159 €
KRF090006		Pair (+) (not in combination with tip a	assist) 317 €
	_	Tip assist	
KRF090001 KRF090003		Left KRF090002 Right	68 €
KRF090003 KRF090009		Pair (+) (not in combination with an Crutch holder, loop (only in combination with tip a:	
7447 000000		Criticii Holder, 100p	33/3/ 33 C
		FORKS (compare with your choice on the first p	page)
KRF080013	0	Castor fork, Carbotecture ®, 111 mm Colour: Black (L)	-
KBE00000	_	Colour: Silver Orange Red (2) Blue (2) Castor fork, Aluminium, 123 mm Colour: Black	50 €
KRF080029	0	Castor fork, Aluminium, 123 mm Colour: Black Colour: Silver Conange	50 €
KRF080008		Castor fork, aluminium, one-arm Colour: Black (only with 4" & 5" Alu soft, Alu s	
		Colour: ☐ Silver ☐ Orange ☐ Red ☐ Blue	50 €
KRF080007		Castor fork, aluminium, suspension (Frog Legs ®), black (+)	617 €
		CACTORO	
KRF080301	0	Castor, solid (hard), rim: composite, black (not with one-arm	
KRF080302	0	Castor, solid (soft), rim: composite, black (not with one-arm fork, only 5"	
KRF080303		Castor, solid (hard), light-up, rim: composite, black (not with one-arm fork, only 4"	
KRF080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4"	' & 5") 98 €
KRF080306		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4"	, i
		Colour, rim: Black Orange Red Blue	50 €
		REAR WHEELS (compare with your choice on the first page; choose only one wheel	type)
KRF070000	0	Without rear wheel	-
KRF070001	0		y 24") -
KRF070002 KRF070003	0		y 24") - page) -
KRF070003 KRF070004		Rear wheel, Lightweight, 24 spokes (silver), straight spokes (std: black rim/hub, colour options on last process (std: black rim/hub, colour options on last process (L) (user weight limit 10	
KRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	678 €
KRF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	951 €
		Axle	
KRF070150	•	Quick-release axle	Std
KRF070151		Quick-release axle, designed for quads (3)	70 €
		TYRES (choose only one tyre	trac
KRF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (not in	
KRF070107		Tyre, pneumatic, slick, Schwalbe One (L)	53 €
KRF070102	0	Tyre, puncture proof, tread (+)	-
KRF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (+)	54 €
KRF090163		Sparsa kit 1 outra tura (como ao an tha chair) and 1 outra inner tuba	turos) 67 F
1411 090 103		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid to	tyres) 67 €
(1):	Only	with 0° wheel camber	For more information
(2):	Red	and blue only in combination with soft castors	www.SunriseMedical.eu
(3):		with Spinergy wheels	© Sunrise Medical 2024
	(L)=	lightest option (+)= adds 500 g or more to the wheelchair-weight	

FRAME ACCESSORIES



KRF090001 Tip assist



KRF090004 Anti-tip tubes SA



KRF090010 Transit Wheels



Quickie style anti tip tubes pluggable



KRF090010 Frame protection, Plastic, glued to the frame, black



KRF070703 CoG Adapter, Standard



KRF070701 CoG Adapter, lightweight

FORKS



KRF080013 & KRF080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



KRF080008 Castor fork, aluminum, one-arm, red

REAR WHEELS & HANDRIMS



KRF070001 Universal wheel



KRF070002 Design wheel



KRF070003 Lightweight wheel



KRF070004 Proton wheel



KRF070212 Handrims Ellipse 3R



KRF070208 Handrims Maxgrepp

TYRES



KRF070101 Schwalbe Right Run



KRF070107 Schwalbe One



KRF070104 Schwalbe Marathon Plus



KRF070102 Tyre, puncture proof

WHEEL LOCKS



KRF060001 Standard brake



KRF060002 Knee lever brake



KRF060023 Compact brake EVO




KRF060024 Lightweight Compact brake EVO

© Sunrise Medical 2024

Krypton	F		
	•	= Standard O = No cost option \square = Cost option	Price in €
		HANDRIMS	
KRF070201	0	Handrims, aluminium, powder-coated, clear (L)	-
KRF070202	0	Handrims, aluminium, anodised, silver (L)	-
KRF070203		Handrims, aluminium, powder-coated, coloured (L) (select colour on last page	ge) 68 €
KRF070204	0	Handrims, stainless steel, silver (+)	-
KRF070205	<u> </u>	Handrims, titanium, untreated	248 €
KRF070206		Handrims, titanium, powder-coated, clear	248 €
KRF070207		Handrims, Supergrip ® (+)	351 €
KRF070208		Handrims, Maxgrepp ® (+) (only 2-	- -
KRF070212		Handrims, Ellipse 3R, black (+) (ergonomic handrims with rubber-strip) Hand rim mounting	368 €
KRF070307		Handrim mount, super narrow (7 mm) (only with stainless ste	el) 126 €
KRF070317	•	Handrim mount, narrow (17 mm)	-
KRF070327	0	Handrim mount, wide (27 mm)	-
		Handrim accessories	
KRF070250		Handrim cover, rubber (only 24", not wi	th) 133 €
		[5.0] = 7,	,
		WHEEL CAMBER (choose only one optic	on)
KRF070600	0	0°	-
KRF070602	0	2° (not with COG Adapter, lightweig	
KRF070604	0	4° (not with COG Adapter, lightweig	ht) -
		SPOKE GUARDS (only available in 24") (+)	
KDE070004			102.6
KRF070831		Transparent	192 € 255 €
KRF070823			255 €
KRF070816		ů .	255 €
KRF070819		Happy Lions KRF070811	255 €
KRF070820		Oriental KRF070806 Chrome	255 €
KRF070829		Superhero KRF070814 Graffiti	255 €
KRF070817	_	Hot Wheels KRF070802 Basketball KRF070803 Basketball 2	255 €
KRF070822		Pool KRF070812 Flying Water	255 €
KRF070827		Silk KRF070828 □ Space	255 €
KRF070830		Tiger KRF070833 □ Zebra	255 €
			<u> </u>
KDE000004	_		e only one option)
KRF060001	•	Standard brake	Std
KRF060002 KRF060010		Knee-lever brake	64 € 30 €
KRF060010		Brake lever extension, knee-lever brake, fold-down Compact brake EVO	92 €
KRF060024		Lightweight compact brake EVO (1) (L)	124 €
7.0.0002.7	_	(L)= lightest option (+)= adds 500g or more to the wheelchair-weight	124 0
		(-)	
		ACCESSORIES	
KRF090000	•	Tool kit	Std
KRF090024		High pressure pump (0 - 11 bar)	87 €
KRF090025		Air pump	16 €
KRF090026		Mobile phone pocket	26 €
KRF090030		Back pack	82 €
• ,		available with 4° camber; not with seat depth 34 cm; adjustment of CoG +/- approx. 2,5 cm in the field	For more information
	(L)=		www.SunriseMedical.eu
			© Sunrise Medical 2024

Krypton F		
= Standard O = No cost option COLOURS FOR HANDRIMS AND HUB/	= Cost option PIM OF THE STANDARD WHEEL	
Handrim Hub/rim	Handrim	Hub/rim
68 € 186	68€	186
02 Brilliant Silver	Graphitemetallic □	
03 Silver Matt	Black □	
06 Sun Yellow 🗆 🗆 31 N	fatt Black □	
	signal White □	
15 Brilliant Marine		
	Park Chocolate Metallic	
·	Skyblue	
	Cyan-Metallic	
22 Brilliant Red □ □ 37 M 23 Matt Red □ □ 40 K	/arsred (Orange) □	
	ilamingo-Glitter	
_ · · · · · · · · · · · · · · · · · · ·	Matt-Anthracite □	
	/lamba Green (new) □	
10.10	idiliba Green (new)	
(2) Handrim: only with handrim colour powder coated; Hub/rim: only for univ	avaal whaal	
	ei Sai Wileei	
FRAME-COLOURS KRF100139 O Natural Carbon, no coating		
KRF100137 Transparent, gloss		573 €
KRF100138		573 €
KRF100122		573 €
KRF100123		573 €
FRAME-GRAPHICS "Flying Pixel" (scra	tch resistant non-removeable)	
KRF100590	terresistant, non removeable)	222€
KRF100591 □ Frame graphics Flying Pixel, red		222 €
KRF100592 □ Frame graphics Flying Pixel, blue		222€
COLOUR STICKERS "SOPUR"/ "QUIC	KIE" and "Krypton" (3)	
	sideguard will be silver in combination with carbon sideguar	rds) -
KRF100551 O silver		-
KRF100552 O orange		-
KRF100553 O red		-
KRF100554 O blue		-
COLOURS FOR LIGHTWEIGHT WHEEL	.S 24"	
KRF100336 □ Rear wheel, lightweight anodized, orange	(4)	186 €
KRF100337	(4)	186 €
KRF100338 Rear wheel, lightweight anodized, red	(4)	186 €
no choice possible when frame graphics "Flying Pixel" are chosen. only with 24" Lightweight wheel, Hub and rim anodized, black spokes		
Comments for special build - please apply for a quote; lead to	time conditions my change.	
	_	
		built <mark>4</mark> me
	_	
Krypton F - Base Price	Т	
Option price		€
Packaging and transport		€
Exclusive VAT		€
VAT.		€
Total Price		€
Sunrise Medical Customer Service	$\overline{}$	For more information
Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg	E-mail: export@sunrismedical.de	www.SunriseMedical.eu
Tel. +497253 980-0	Websites	© Sunrise Medical 2024
Fax. +497253 980-222	Website: sunrisemedical.eu	

FRAME COLOURS



- Transparent, gloss Transparent, matt Black, gloss Black, matt

FRAME GRAPHIC "FLYING PIXELS"



From left to right:

- Frame graphics Flying Pixel, red Frame graphics Flying Pixel, silver Frame graphics Flying Pixel, blue

24 " LIGHT WEIGHT WHEEL COLOURS



KRF100336 Lightweight wheel, anodized orange



KRF100337 Lightweight wheel, anodized blue



KRF100338 Lightweight wheel, anodized red