



Edition: 11.23
Valid until: 11.24



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:

Order date:

Purchase order:

Number required:

☐ Order ☐ Calculation ☐ Built 4 me (longer leadtime)

Marked for:

Sunrise order no:

☐ = Standard ☐ = Cost option
☐ = Price reduction ☐ = No cost option

Max. user weight: 110 kg/140 Kg (Hybrid)

USER WEIGHT kg

Mandatory information to ensure correct configuration

Art. No. DE: 76 800 000

Base Price 3.708 €

Xenon²

☐ = Standard ☐ = No cost option ☐ = Cost option

CLIENT MEASUREMENTS (all measurements in mm without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

320	340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
									only Hybrid frame

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

Fork (length)		Frame:		43	44	45	46	47	48	49	50	51	52	53	54	55
3"	111 mm	low		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	123 mm (1)					<input type="radio"/>	<input type="radio"/>									
	Frog Leg (1)							<input type="checkbox"/>	<input type="checkbox"/>							
	One Arm (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
	111 mm	high						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	123 mm (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Frog Leg (1)										<input type="checkbox"/>	<input type="checkbox"/>				
	One Arm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
4"	111 mm	low		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
	123 mm (1)					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	Frog Leg (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	One Arm (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
	111 mm	high						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	123 mm (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
	Frog Leg (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	One Arm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	
5"	111 mm	low				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
	123 mm (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	Frog Leg (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	One Arm (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	111 mm	high							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	123 mm (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Frog Leg (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	One Arm (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6"	123 mm (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	Frog Leg (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
	123 mm (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	Frog Leg (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices.

(2) only with lightweight adapter

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 110 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90°
and positive angles are >90°.

Technical Data Overview:

Max. overall height:	1020 mm		
Max. overall length:	1050 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 8,8 kg		
Dismantled weight:	from 6,3 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	24" rear wheel	25" rear wheel
	For 0° camber:	SW + 160 mm	SW + 160 mm
	For 2° camber:	SW + 210 mm	SW + 220 mm
	For 4° camber:	SW + 260 mm	SW + 270 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.
in combination with XFF090100 (Tie down brackets for transportation)
For transport without a user the chair must be safely clamped in the vehicle.

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT

Seat sling

XFF020002	●	Seat sling, nylon, tension adjustable, 1 utility bag	Std
XFF020003	□	Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 360 mm)	53 €
XFF020004	□	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 360 mm)	53 €
XFF020000	○	Without seat sling	-

Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	XFF020101	□	30 mm	XFF020102	□	50 mm	110 €
Latex (very soft)	Thickness:	XFF020103	□	50 mm				110 €

Seat accessories

XFF090018	□	Lap belt with buckle, metal	83 €
XFF020050	□	Additional padding for seat upholstery, removable	36 €

JAY Cushions - for complete product range see Jay order forms

JAY020002	□	JAY Basic	155 €
JAY020003	□	JAY Soft Combi P	227 €
JAY020001	□	JAY Easy Visco, Curved Base	333 €
JAY020004	□	JAY Lite	525 €
JAY020007	□	JAY Easy Fluid, Curved Base	573 €

BACKREST

Back height range

Choose back height factory setting (mm).
Height adjustments of in total 50 mm possible.

250 - 300	300 - 350	350 - 400	400 - 450	450 - 475
○ 250	○ 300	○ 350	○ 400	○ 450
○ 275	○ 325	○ 375	○ 425	○ 475
○ 300	○ 350	○ 400	○ 450	

Backrest height, carbon fiber tubes (1)

Fixed height, non height adjustable

□ 250	□ 275	□ 300	□ 325
□ 350	□ 375	□ 400	□ 425

326 €

XFF030010	○	Backrest, fixed (90°)	-
XFF030029	○	Desk sideguard preparation for later replacement (2)	-
XFF030031	□	Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable)	272 €
XFF030012	□	Backrest, angle-adjustable (75° to 103°)	344 €
XFF030029	○	Desk sideguard preparation for later replacement (3)	-
XFF030031	□	Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable)	344 €

Pushhandles

XFF030200	○	Without push handles	-
XFF030201	○	Push handles long	-
XFF030203	□	Push handles, fold-down (only available from back height 325 mm upwards)	186 €
XFF030205	□	Push handles, height-adjustable for Jay backs (only available from back height 325 mm upwards)	295 €
XFF030204	□	Push handles, height-adjustable (only available from back height 300 mm upwards)	295 €

Backrest upholstery

XFF030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	-
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	-
XFF030317	□	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version)	170 €
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	-
XFF030300	○	Without backrest upholstery	-


Accessories for backrest

XFF030402	□	Stabilising bar, automatic folding (only available from SW 380mm; not with fixed height backrest)	164 €
-----------	---	---	-------

- (1) not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes
 (2) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
 (3) necessary for retrofitting Desk sideguard
 (4) not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 400 mm upwards; please see Folding Matrix on next side

For more information
visit our webpage
www.SunriseMedical.eu

© Sunrise Medical 2024



XFF 020002 Seat sling with utility bag 1



XFF 020003 Seat sling with utility bags 2



XFF 030316 EXO backrest sling (EXO Evo version)



XFF 030317 EXO PRO backrest sling (EXO Evo version)



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles, height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.



Seat width	Back height						
	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420				✓	✓	✓	✓
440				✓	✓	✓	✓
460					✓	✓	✓
480						✓	✓
500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Xenon ²									
● = Standard ○ = No cost option □ = Cost option									
Price in €									
Jay 3 Back - Shallow Contour (SC)									
Mid Thoracic:									

JAY J3 Shallow Contour



JAY J3 Mid Contour



JAY J3 Mid Deep Contour



XFF040107
Composite
sideguard
detachable



XFF040101
carbon fibre, cold
weather protection,
slim



XFF040102
Aluminium, cold weather
protection



XFF040103
Aluminium, cold weather
protection, fender



XFF04000x
Desk sideguard, armpad, flip-
up, removable



XFF040104
Carbon fibre, cold weather
protection, fender



XFF050132
Footboard platform,
lightweight, carbon fibre



XFF050059
Footboard platform,
performance



XFF050027
Footboard platform,
lightweight, carbon fibre,
auto folding



XFF050127
Adjustable side protection

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

FRAME VERSIONS

Open frame (max. user weight 110kg)

XFF010012	○ Frame FF 100 ° (integrated footrest) (UK 80 °)	-
	XFF010101 □ Inset: Slight (10 mm)	153 €
XFF010013	□ Frame FF 92 ° (integrated footrest), performance (UK 88 °)	153 €
	XFF010101 □ Inset: Slight (10 mm)	153 €

Hybrid frame (max user weight 140kg)

XFF010020	□ Frame FF 100 ° (integrated footrest), hybrid	153 €
XFF010021	□ Frame FF 92 ° (integrated footrest), hybrid	153 €

CENTRE OF GRAVITY (COG)

XFF070703	Adapter, standard	○ 2 ○ 3 ○ 4 ○ 5 ○ 6	-
		○ 7 ○ 8 ○ 9 ○ 10	-
XFF070701	Adapter, lightweight (1)	○ 5 ○ 6 ○ 7 ○ 9 ○ 10 ○ 11	-
XFF010411	○ Axle plate, aluminium, long (full adjustment)		-
XFF010412	□ Axle plate, aluminium, shorted (max. adjustment 10 mm)		303 €

FRAME ACCESSORIES

(choose either tip assist or anti- tip tubes per side)

XFF090016	□ Frame protection, black	70 €
XFF090100	□ Tie down brackets for transportation	89 €
XFF090010	□ Transit wheels	272 €
XFF090014	□ Frame reinforcement kit for add on bike	411 €
XFF090050	□ Anti-tip tubes, plug-in, pair	155 €
Anti-tip tubes, swing-away		
XFF090004	□ Left XFF090005 □ Right	159 €
XFF090006	□ Pair	317 €
Tip assist		
XFF090001	□ Left XFF090002 □ Right	68 €
XFF090003	□ Pair	137 €
XFF090009	□ Crutch holder, loop (only in combination with tip assist)	39 €

PREPARATION FOR ATTITUDE ADD-ON BIKE

XFF090211	□ without ATTITUDE order	Please use & include Attitude OF	110 €
XFF090212	○ with ATTITUDE order	Please use & include Attitude OF	-

EMPULSE F55 BUNDLING

EMO000101	○ With F55 order, not mounted to the wheelchair	(Please use separate OF to order the F55. Not with Lightweight Compact brake)	
EMO000102	○ With F55 order, mounted to the wheelchair	(Please use separate OF to order the F55. Not with Lightweight Compact brake)	

FORKS

(compare with your choice on the first page)

XFF080013	● Castor fork, Carbotecture ®	Colour: Black	Std
	Colour: □ Silver □ Orange □ Red (2) □ Blue (2)		50 €
XFF080029	○ Castor fork, Aluminium, 123mm	Colour: Black	-
	Colour: □ Silver □ Orange		50 €
XFF080008	□ Castor fork, aluminium, one-arm	Colour: Black	206 €
	Colour: □ Silver □ Orange □ Red □ Blue		50 €
XFF080007	□ Castor fork, aluminium, suspension (Frog Legs ®), black		617 €

CASTORS

(compare with your choice on the first page)

XFF080301	○ Castor, solid (hard), rim: composite, black		-
XFF080302	○ Castor, solid (soft), rim: composite, black	(only 5" & 6")	-
XFF080303	□ Castor, solid (hard), light-up, rim: composite, black	(only 4" & 5")	72 €
XFF080304	□ Castor, solid (hard), rim: aluminium	Colour, rim: Silver (only 4" & 5")	98 €
XFF080306	□ Castor, solid (soft), rim: aluminium	Colour, rim: Silver (only 4" & 5")	148 €
	Colour, rim: □ Black □ Orange □ Red □ Blue		50 €

(1) only with 0° wheel camber

(2) only in combination with castor, soft (XFF080302 and XFF080306)

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



XFF010012 / 13
Open Frame



XFF090020 / 21
Hybrid frame



XFF090001
Tip assist



XFF090004
Anti-tip tubes, swing away



XFF090050
Anti-tip tubes, plug in, pair



XFF090010
Transit wheels

XENON² F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

COG	Seat Depth							
	360	380	400	420	440	460	480	500
40	✓	✓	✓	✓	✓	✓	✓	✓
60	✗	✓	✓	✓	✓	✓	✓	✓
70	✗	✗	✓	✓	✓	✓	✓	✓
80	✗	✗	✓	✓	✓	✓	✓	✓
90	✗	✗	✗	✓	✓	✓	✓	✓
100	✗	✗	✗	✓	✓	✓	✓	✓
110	✗	✗	✗	✗	✓	✓	✓	✓
120	✗	✗	✗	✗	✓	✓	✓	✓
130	✗	✗	✗	✗	✗	✓	✓	✓

XENON² HYBRID F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

COG	Seat Depth						
	380	400	420	440	460	480	500
40	✓	✓	✓	✓	✓	✓	✓
60	✗	✓	✓	✓	✓	✓	✓
70	✗	✗	✓	✓	✓	✓	✓
80	✗	✗	✓	✓	✓	✓	✓
90	✗	✗	✗	✓	✓	✓	✓
100	✗	✗	✗	✓	✓	✓	✓
110	✗	✗	✗	✗	✓	✓	✓
120	✗	✗	✗	✗	✓	✓	✓
130	✗	✗	✗	✗	✗	✓	✓

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

XFF070000	○	Without rear wheel	-
XFF070001	○	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 24")	-
XFF070002	○	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")	-
XFF070003	○	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last page)	-
XFF070004	□	Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 100kg)	376 €
XFF070005	□	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	678 €
XFF070007	□	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	951 €
XFF070008	□	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 24")	379 €
XFF070009	□	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes (only 24")	344 €
XFF070010	□	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	522 €

Axle

XFF070150	●	Quick-release axle	Std
XFF070151	□	Quick-release axle, designed for quads (2)	70 €

TYRES

(choose only one tyre type)

XFF070101	○	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24")	-
XFF070102	○	Tyre, puncture proof, tread	-
XFF070107	□	Tyre, pneumatic, slick, Schwalbe One	53 €
XFF070104	□	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	54 €
XFF090163	□	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid tyres)	67 €

HANDRIMS

XFF070204	○	Handrims, stainless steel, silver	-
XFF070202	○	Handrims, aluminium, anodised, silver	-
XFF070201	○	Handrims, aluminium, powder-coated, clear	-
XFF070203	□	Handrims, aluminium, powder-coated, coloured (select colour on last page)	68 €
XFF070205	□	Handrims, titanium, untreated	248 €
XFF070206	□	Handrims, titanium, powder-coated, clear	248 €
XFF070207	□	Handrims, Supergrip®	351 €
XFF070208	□	Handrims, Maxgrepp® (only 24")	463 €
XFF070212	□	Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip)	368 €

Hand rim mounting

XFF070307	□	Handrim mount, super narrow (7 mm) (only with stainless steel)	126 €
XFF070317	●	Handrim mount, narrow (17 mm)	Std
XFF070327	○	Handrim mount, wide (27 mm)	-

Handrim accessories

XFF070250	□	Handrim cover, rubber (only 24")	133 €
-----------	---	----------------------------------	-------

WHEEL CAMBER

(choose only one option)

XFF070600	○	0°	-
XFF070602	○	2° (not with Centre of Gravity Adapter, lightweight)	-
XFF070604	○	4° (not with Centre of Gravity Adapter, lightweight)	-

SPOKE GUARDS

(only 24")

XFF070831	□	Transparent	192 €
XFF070823	□	Princess XFF070813 □ Galactica	255 €
XFF070816	□	Happy Lions XFF070811 □ Feather	255 €
XFF070819	□	Monkeys XFF070821 □ Pirates	255 €
XFF070820	□	Oriental XFF070806 □ Chrome	255 €
XFF070829	□	Superhero XFF070814 □ Graffiti	255 €
XFF070817	□	Hot Wheels XFF070802 □ Basketball XFF070803 □ Basketball 2	255 €
XFF070822	□	Pool XFF070812 □ Flying Water	255 €
XFF070827	□	Silk XFF070828 □ Space	255 €
XFF070830	□	Tiger XFF070833 □ Zebra	255 €

- (1) only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.
 (2) not with Rear wheels Spinergy/ Mountainbike/ drum brakes

For more information
 visit our webpage
www.SunriseMedical.eu
 © Sunrise Medical 2024



XFF070001
Universal wheel



XFF070002
Design wheel



XFF070003
Lightweight wheel



XFF07000
Proton wheel



XFF07010
Mountainbike wheel



XFF070101
Schwalbe Right Run



XFF070107
Schwalbe One



XFF070104
Schwalbe Marathon Plus
Evolution



XFF070102
Tyre, puncture proof



XFF070202
Handrims aluminum,
anodized



XFF070203
Handrims aluminum,
powder coated, coloured



XFF070208
Handrims Maxgrepp



XFF070212
Handrims Ellipse 3R

Xenon²

● = Standard ○ = No cost option □ = Cost option

Price in €

WHEEL LOCKS

(choose only one option)

XFF060001	● Standard brake	Std
XFF060002	□ Knee-lever brake	64 €
XFF060010	□ Brake lever extension, knee-lever brake, fold-down	30 €
XFF060023	□ Compact brake EVO	92 €
XFF060024	□ Lightweight compact brake EVO (1)	124 €

ACCESSORIES

XFF090000	● Tool kit	Std
XFF090025	□ Air pump	16 €
XFF090024	□ High pressure pump (0 - 11 bar)	87 €
XFF090030	□ Back pack	82 €
XFF090026	□ Mobile phone pocket	26 €

COLOURS⁽²⁾

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	X-brace		Frame	Handrim	Hub/rim	X-brace	
	93 €	68 €	186	186 €		93 €	68 €	186	186 €	
02 Brilliant Silver	○	□	□	□	27 Graphitemetallic	○	□	□	□	
03 Silver Matt	□	□	□	□	29 Black	○	□	□	□	
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□	
14 Blue	○	□	□	□	32 Signal White	○	□	□	□	
15 Brilliant Marine	○	□	□	□	33 Pink	○	□	□	□	
16 Matt Marine	□	□	□	□	34 Dark Chocolate Metallic	□	□	□	□	
19 Brilliant Purple	○	□	□	□	35 Skyblue	□	□	□	□	
21 Red Ruby	○	□	□	□	36 Cyan-Metallic	□	□	□	□	
22 Brilliant Red	□	□	□	□	37 Marsred (Orange)	□	□	□	□	
23 Matt Red	□	□	□	□	40 Kiwi	□	□	□	□	
24 Tutti Frutti Orange	○	□	□	□	41 Flamingo-Glitter	□	□	□	□	
					42 Matt-Anthracite	○	□	□	□	
					46 Mamba Green (new)	□				
					Rear wheel, lightweight anodized, orange			□		186
					Rear wheel, lightweight anodized, blue			□		186
					Rear wheel, lightweight anodized, red			□		186

COLOURS - for stickers ("Xenon²" on the frame and "Quickie" on sideguard)

XFF100550	○ black	(Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)	-
XFF100551	○ silver		-
XFF100552	○ orange		-
XFF100553	○ red		-
XFF100554	○ blue		-

(1) not with Hybrid frame; not available with 4° camber; not with seat depth 340 mm; not for use with add on bikes; adjustment of CoG +/- approx. 25mm in the field

(2) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 24"

(3) only with 24" Lightweight wheel, Hub and rim anodized, black spokes

Comments for special build - please apply for a quote; lead time conditions my change.



Quickie Xenon² - Basic Price

Option price €
Packaging and transport €
Exclusive VAT €
VAT. €
Total Price €

Sunrise Medical Customer service

Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg

Tel. +497253 980-0

Fax. +497253 980-222

E-mail: export@sunrisemedical.de

Website: sunrisemedical.eu

For more information

visit our webpage

www.SunriseMedical.eu

© Sunrise Medical 2024



XFF060001
Standard brake



XFF060002
Knee lever brake



XFF060023
Compact brake EVO



XFF060024
Lightweight compact
brake EVO



XFF090000
Tool kit



XFF090024
High pressure pump



XFF090025
Air pump



XFF090030
Back pack



XFF090026
Mobile phone pocket